

## 91-182 R and R driver seat backrest lining (coupé)


---

### Removal


---

1 Remove driver's or front passenger's seat (91-100), section B).

2 Pull off plug of connecting cable between belt positioner and belt lock on holding plate.




3 Pull out electric connecting cable for servomotor of backrest on plug coupling.



4 Unscrew guide rail on cushion frame.


**Note:** Unscrewing of center screw on seat guide rails requires adjustment of seat frame. With operational electric motor a vehicle battery can be connected directly to electric motor for adjusting seat frame. If the electric motor is no longer running, the motor shaft can be rotated at square mount by means of a fitting screwdriver.




## 91-182 R and R driver seat backrest lining (coupé)

---


5 Remove screws on cushion frame lining and remove lining.




6 Unscrew fastening screws on backrest hinges.



7 Slightly pull out backrest hinges on cushion frame, push-off locking clip at actuating rod of vacuum element and disconnect actuating rod at backrest lock.



8 Remove screws on tensioning member of backrest, push tensioning member in upward direction and remove.




## 91-182 R and R driver seat backrest lining (coupé)


---

9 Pull vacuum line from switch.


10 Remove backrest from cushion.



11 Separate lock on vacuum switch with side-cutting pliers and pull vacuum switch out of backrest.




12 Push out clips on backrest top left and right.



13 Compress spring core of backrest while simultaneously disconnecting lining on backrest frame all around.


14 Disconnect rubber hair mat on backrest frame and remove completely with lining.



## 91-182 R and R driver seat backrest lining (coupé)

---

15 Slip bow underneath holding wire and remove lining from rubber hair mat.



### Installation

---

16 For installation proceed vice versa.